

2005 YRW Water Sampling Results

Dousman Creek Subwatershed

Site Name	Site #	Date Collected	E. Coli (per 100ml)	Orthophosphate (mg/L)	Chloride (mg/L)	Nitrate+Nitrite as N (mg/L)	Ammonia as N (mg/L)	TKN	Total Phosphorous	Dissolved Solids (mg/L)	Total Suspended Solids (mg/L)
Dousman Creek	8	1/12/2005									
Dousman Creek	8	2/8/2005									
Dousman Creek	8	3/2/2005									
Dousman Creek	8	4/6/2005	10			3.20			0.04		
Dousman Creek	8	5/12/2005	27	0.02		3.10	0.05	0.10	0.02	320	1
Dousman Creek	8	5/19/2005	10	0.02	5.10	3.10	0.05	0.10	0.03	290	2
Dousman Creek	8	5/26/2005	180	0.03	5.30	3.10	0.05	0.10	0.04	310	5
Dousman Creek	8	6/2/2005									
Dousman Creek	8	6/9/2005	18	0.03	5.90	3.00	0.05	0.24	0.02	350	1
Dousman Creek	8	6/16/2005	40	0.03	6.20	3.00	0.05	0.27	0.02	330	1
Dousman Creek	8	6/23/2005	91	0.02	5.70	3.00	0.05	0.35	0.05	320	2
Dousman Creek	8	6/30/2005	210	0.04	5.60	3.00	0.05	0.10	0.07	330	2
Dousman Creek	8	7/7/2005	260	0.03	5.40	3.10	0.06	0.16	0.04	350	1
Dousman Creek	8	7/14/2005	210	0.02	4.90	3.00	0.05	0.10	0.05	350	2
Dousman Creek	8	7/21/2005	2,100	0.03	5.30	2.50	0.05	0.20	0.06	310	3
Dousman Creek	8	7/28/2005	81	0.03	5.60	3.00	0.05	0.12	0.05	330	2
Dousman Creek	8	8/4/2005	210	0.02	5.60	3.00	0.05	0.21	0.10	330	1
Dousman Creek	8	8/11/2005	300	0.02	5.60	2.90	0.05	0.28	0.04	310	2
Dousman Creek	8	8/18/2005	200,000	0.43	6.80	1.90	0.24	6.50	2.30	470	860
Dousman Creek	8	8/25/2005	300	0.03	5.80	3.00	0.05	0.10	0.06	320	3
Dousman Creek	8	9/1/2005	210	0.03	5.60	3.00	0.05	0.20	0.05	320	4
Dousman Creek	8	9/8/2005	260	0.03	6.20	2.90	0.05	0.20	0.05	330	3
Dousman Creek	8	9/15/2005	150	0.03	6.00	3.00	0.05	0.10	0.06	330	3
Dousman Creek	8	9/22/2005	2,100	0.04	6.30	3.00	0.05	0.10	0.07	310	8
Dousman Creek	8	9/29/2005	270	0.03	6.00	3.00	0.05	0.10	0.05	280	5

Tested only 3 parameters

Weather did not permit going down into Dousman

No Access to Dousman